


AMPri Handelsgesellschaft mbH Benzstraße 16 21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

Technical Data Sheet

Article-No.: 01252

Description: MED-COMFORT Black Examination glove, Vinyl-Nitrile-Mixture black, non sterile, powder free

palm	fingertips
0,08 mm	0,08 mm



The glove is tight against microorganisms (viral, bacteria and fungi). Test according to ISO 16604 - method B.

microorganism tightness EN ISO 21420 The glove meets the requirements according to EN ISO 21420 protective gloves EN 455 The glove meets the requirements according to EN 455-1, EN 455-2, EN 455-3, EN 455-4. Force at break ≥ 3.6 N. medical gloves for single use EN 455-1 The glove has an AQL < 1.5 in regards to the water retention test (sampling inspection in acc. to ISO 2859-1, freedom from holes general Inspection Level I) EN 16350 not applicable electrostatic

50 374-5:20

EN

455

AQL

(1.5)

VIRUS

properties

EN 374-5



AMPri Handelsgesellschaft mbH Benzstraße 16 21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

Technical Data Sheet

Article-No.: 01252

Description:

MED-COMFORT Black

Examination glove, Vinyl-Nitrile-Mixture black, non sterile, powder free

LOGISTIC DATA SUBPACKING	
generell information	
material	carton
pieces per subpacking	100
GTIN subpacking size XS	-
GTIN subpacking size S	4044941722511
GTIN subpacking size M	4044941722542
GTIN subpacking size L	4044941722573
GTIN subpacking size XL	4044941722603
GTIN subpacking size XXL	-
GTIN subpacking size XXXL	-
PZN subpacking size XS	-
PZN subpacking size S	17173443
PZN subpacking size M	17173437
PZN subpacking size L	17173420
PZN subpacking size XL	17173408
PZN subpacking size XXL	-
PZN subpacking size XXXL	-
measures & size	
length	240 mm
width	120 mm
heigth	66 mm
weights	
size	gross weight*
XS	-
S	560 g
Μ	610 g
L	690 g
XL	780 g
XXL	-
XXXL	-

LOGISTIC DATA PALETTE		
general information		
kind of palett	euro-palette	
measures & size		
cartons per layer	9	
layers per palette	7	
heigth of the palette	194 cm	
weights		
size	gross weight*	
XS	-	
S	409 kg	
M	441 kg	
L	491 kg	
XL	548 kg	
XXL	-	
XXXL	-	



LOGISTIC DATA OUTER PACKING	
generell information	
material	carton
subpackings per outer packing	10
GTIN outer packing size XS	-
GTIN outer packing size S	4044941722528
GTIN outer packing size M	4044941722559
GTIN outer packing size L	4044941722580
GTIN outer packing size XL	4044941722610
GTIN outer packing size XXL	-
GTIN outer packing size XXXL	-
PZN outer packing size XS	-
PZN outer packing size S	-
PZN outer packing size M	-
PZN outer packing size L	-
PZN outer packing size XL	-
PZN outer packing size XXL	
PZN outer packing size XXXL	
measures & size	
length	345 mm
width	250 mm
heigth	255 mm
weights	
size	gross weight*
XS	-
S	6.100 g
Μ	6.600 g
L	7.400 g
XL	8.300 g
XXL	-
XXXL	-



AMPri Handelsgesellschaft mbH Benzstraße 16 21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

Technical Data Sheet

Article-No.: 01252

Description:

MED-COMFORT Black Examination glove, Vinyl-Nitrile-Mixture black, non sterile, powder free



WARNINGS AND SAFETY INFORMATION

storage / expiry date	Store gloves in original packaging in a cool and dry place without additional weight, protect from direct sunlight. Do not store near ozone sources (laser printers, copiers). The actual expiry time in use cannot be specified in general terms, as it depends on the general conditions of use. An individual risk assessment must be carried out in each case. The expiry date - valid for proper storage - is stated on the packaging.
use and control	Always use protective gloves only for the intended use and in the correct size. A check/risk assessment must be carried out to ensure that the gloves are suitable for the intended use, as the conditions at the workplace may deviate from those of the type test depending on temperature, abrasion and degradation. Breakthrough times and permeation levels are based on laboratory measurements and are determined using samples taken from the palm of the hand. The actual duration of protection of a glove with a specific substance can vary significantly due to the conditions of use (temperature, abrasion, stretching). In the case of aggressive chemicals, degradation (change in mechanical properties) can be an important factor to consider when selecting chemical-resistant gloves. This information does not reflect the actual duration of protection in the workplace and the distinction between mixtures and pure chemicals. The chemical resistance was determined under laboratory conditions only on the basis of samples from the palm and refers only to the chemicals tested. The situation may be different if the chemical is used in a mixture. The penetration resistance was evaluated under laboratory conditions and refers only to the tested specimen. The degradation results according to EN ISO 374-4 show the change in puncture resistance of the gloves after exposure to the tested chemical. Before use, the gloves must be checked for holes or damage.
disposal	Used gloves must be disposed of in accordance with the disposal regulations of the local waste disposal company. Unused gloves can be disposed of with household waste.
disinfection	Disinfection is not intended for these gloves and is the responsibility of the user.
warnings/ allergy information	Protective gloves are intended for single use only. Free from thiurams, carbamates and mercaptobenzothiazoles.
donning and doffing instructions	

*slight deviations possible due to standard tolerances

changes and errors excepted

rev-no.: 2025-01 date 16.06.2025