

AMPri Handelsgesellschaft mbH Benzstraße 16 21423 Winsen (Luhe) - Germany

Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

Technical	Data She	et					
Article-No.:	14-100						
Description:	Black 300	Black 300 Latex					
	Latex exami	nation glove			100	BLACK 300	•
	black, non s	terile, powder	free			LATEX WEEKLEN	
THICKNESS							
cuff		ngertips					
0,12 mm		.18 mm					
PRODUCT DESCRIP material	TION Latex	Nitrile	□ Vinyl	Vinyl-Nitrile- mixture	Polyethy-lene (PE)	П ТРЕ	
colour	white	🗆 blue	✓ black	□ mint	purple	🗆 mix	apple-green
characteristics	prepowdered	powderfree	sterile	non sterile	☑ ambidex-	fits hand-	biodgra-
a	✓ full textured	□ finger	not textured	embossed	trous chlorinated ins	specific	dable
surface		textured				side	
SIZES							
	XS (5-6)	S (6-7)	M (7-8)	L (8-9)	XL (9-10)	XXL (10-11)	XXXL (11-12)
width length	≤ 80 mm ≥ 300 mm	80 ± 10 mm ≥ 300 mm	95 ± 10 mm ≥ 300 mm	110 ± 10 mm ≥ 300 mm	115 ± 10 mm ≥ 300 mm	-	-
		2 300 11111	2 300 1111	2 300 11111	2 300 mm	_	_
REGULATORY AFFA PPE-Regulation	Category I	Category II	✓ Category III	no PPE-article			
(EU) 2016/425							66
MD-Regulation (EU) 2017/745	Class I	Class II a	Class III	□ sterile	measuring function	no medical device	CE
Food Contact (EG) 1935/2004	☑ acidic foods	aqueous foods	□ fatty foods	alcoholic foods	□ dry foods	not approved for food- contact	זיל
STANDARDISATION							
EN 388 Mechanical	abrasion	blade cut	tear resistance	puncture	blade cut	impact test	
Risks	resistance	resistance Coupe-Test		resistance	resistance TDM-Test		
Level	not applicable	•					
EN 374-1	chemical		code letter	level	permeation time	degradation	
Chemical Risks	Sodium hydroxide		К	6	> 480 min	-19,2 %	ISO 374-1/Type B
EN 374-4	Hydrogen Peroxide Formaldehyde 37%		P T	3	> 60 min > 30 min	-14,0 % -66,3 %	
Degradation							
							КРТ
EN 374-5 microorganism tightness	The glove is tight against microorganisms (viral, bacteria and fungi). Test according to ISO 16604 - method B.			EN ISO 374-5:2016 VIRUS			
EN ISO 21420 protective gloves	The glove meets th	ne requirements ac	cording to EN ISO 21	1420			
EN 455 medical gloves for single use	The glove meets the requirements according to EN 455-1, EN 455-2, EN 455-3, EN 455-4				EN 455		
EN 455-1 freedom from holes	The glove has an AQL < 1.5 in regards to the water retention test (sampling inspection in acc. to ISO 2859-1, general Inspection Level I)					AQL (1.5)	
ISO 18889 Pesticide application	not applicable						



AMPri Handelsgesellschaft mbH Benzstraße 16

21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

Technical Data Sheet

Article-No.: **14-100**

Description:

Black 300 Latex Latex examination glove black, non sterile, powder free

LOGISTIC DATA	SUBPACKING		
generell informati	on		
material		carton	
pieces per subpack	ting	100	
GTIN subpacking si	ze XS	4044941729923	
GTIN subpacking si	ze S	4044941729947	
GTIN subpacking si	ze M	4044941729961	
GTIN subpacking si	ze L	4044941729985	
GTIN subpacking si	ze XL	4044941730004	
GTIN subpacking si	-		
GTIN subpacking si	-		
PZN subpacking siz	e XS	-	
PZN subpacking siz	e S	-	
PZN subpacking siz	e M	-	
PZN subpacking siz	e L	-	
PZN subpacking siz	e XL	-	
PZN subpacking siz	e XXL	-	
PZN subpacking siz	e XXXL	-	
measures & size			
length		280 mm	
width		127 mm	
heigth		75 mm	
weights			
size	net weight	gross weight	
XS	700 g	760 g	
S	760 g	820 g	
М	830 g	890 g	
L	850 g	910 g	
XL	940 g	1.000 g	
XXL	-	-	
XXXL	-	-	

LOGISTIC DATA PALETTE			
general informatio	n		
kind of palett		euro-palette	
measures & size			
cartons per layer		8	
layers per palette		6	
heigth of the palette		192 cm	
weights			
size	net weight	gross weight	
XS	389 kg	414 kg	
S	418 kg	443 kg	
М	451 kg	476 kg	
L	461 kg	486 kg	
XL	504 kg	529 kg	
XXL	-	-	
XXXL	-	-	



generell information	1	
material	carton	
subpackings per oute	er packing	10
GTIN outer packing s	4044941729930	
GTIN outer packing s		4044941729954
GTIN outer packing s	4044941729978	
GTIN outer packing s	ize L	4044941729992
GTIN outer packing s	ize XL	4044941730011
GTIN outer packing s	ize XXL	-
GTIN outer packing s	ize XXXL	-
PZN outer packing size	ze XS	-
PZN outer packing size	-	
PZN outer packing size	ze M	-
PZN outer packing size	-	
PZN outer packing size	-	
PZN outer packing size	-	
PZN outer packing size	-	
measures & size		
length	390 mm	
width	270 mm	
heigth	295 mm	
weights		
size	net weight	gross weight
XS	7.600 g	8.100 g
S	8.200 g	8.700 g
М	8.900 g	9.400 g
L	9.100 g	9.600 g
XL	10.000 g	10.500 g
XXL	-	-
XXXL	-	-



AMPri Handelsgesellschaft mbH Benzstraße 16 21423 Winsen (Luhe) - Germany

Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

Technic	al Data Sheet
Article-No Descriptio	
WARNINGS AN	ID SAFETY INFORMATION
storage / expiry date	Store gloves in original packaging in a cool and dry place without additional weight, protect from direct sunlight. Do not store near ozone sources (laser printers, copiers). The actual expiry time in use cannot be specified in general terms, as it depends on the general conditions of use. An individual risk assessment must be carried out in each case. The expiry date - valid for proper storage - is stated on the packaging.
use and control	Always use protective gloves only for the intended use and in the correct size. A check/risk assessment must be carried out to ensure that the gloves are suitable for the intended use, as the conditions at the workplace may deviate from those of the type test depending on temperature, abrasion and degradation. Breakthrough times and permeation levels are based on laboratory measurements and are determined using samples taken from the palm of the hand. The actual duration of protection of a glove with a specific substance can vary significantly due to the conditions of use (temperature, abrasion, stretching). In the case of aggressive chemicals, degradation (change in mechanical properties) can be an important factor to consider when selecting chemical-resistant gloves. This information does not reflect the actual duration of protection in the workplace and the distinction between mixtures and pure chemicals. The chemical resistance was determined under laboratory conditions only on the basis of samples from the palm and refers only to the chemical is used in a mixture. The penetration resistance was evaluated under laboratory conditions and refers only to the tested specimen. The degradation results according to EN ISO 374-4 show the change in puncture resistance of the gloves after exposure to the tested chemical.
disposal	Used gloves must be disposed of after contact with chemicals in accordance with the disposal regulations for the chemical and the regulations of the local waste disposal company. Unused gloves can be disposed of with household waste.
disinfection	Disinfection is not intended for these gloves and is the responsibility of the user.
warnings/ allergy information	Protective gloves are intended for single use only. This product contains dithiocarbamates and natural latex, which can trigger allergic reactions, including anaphylactic reactions
donning and doffing instructions	

changes and errors excepted