

Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de




4MPri

Article-No.: 01033

EN

Description: **BASIC TOUCH**


> Latex examination glove white, non sterile, powder free







Material
Characteristics
characteristics
SIZES XS (5-6) S (6-7) M (7-8) L (8-9) XL (9-10) XXL (10-11) XXXL (11-11)
SIZES XS (5-6) S (6-7) M (7-8) L (8-9) XL (9-10) XXL (10-11) XXXL (11-12)
SIZES width
XS (5-6) S (6-7) M (7-8) L (8-9) XL (9-10) XXL (10-11) XXXL (11-12 Width ≤ 80 mm 80 ± 10 mm 95 ± 10 mm 110 ± 10 mm 115 ± 10 mm -
XS (5-6) S (6-7) M (7-8) L (8-9) XL (9-10) XXL (10-11) XXXL (11-12 Width ≤ 80 mm 80 ± 10 mm 95 ± 10 mm 110 ± 10 mm 115 ± 10 mm -
XS (5-6) S (6-7) M (7-8) L (8-9) XL (9-10) XXL (10-11) XXXL (11-12 Width ≤ 80 mm 80±10 mm 95±10 mm 110±10 mm 115±10 mm -
Width S 80 mm 80 ± 10 mm 95 ± 10 mm 110 ± 10 mm 115 ± 10 mm
Eength ≥ 240 mm
REGULATORY AFFAIRS PPE-Regulation (EU) 2016/425 MD-Regulation (EU) 2017/745 Food Contact (EG) 1935/2004 STANDARDISATION EN 388 Mechanical Risks In on one or
PPE-Regulation (EU) 2016/425 MD-Regulation (EU) 2017/745 Food Contact (EG) 1935/2004 STANDARDISATION EN 388 Mechanical Risks Risks
Class Cla
MD-Regulation Class Cla
Food Contact Gevice Gev
Food Contact Gevice Gev
Foods Foods Foods Foods Foods For food-contact
STANDARDISATION EN 388 Mechanical resistance resistan
EN 388 Mechanical abrasion resistance resis
EN 388 Mechanical Risks resistance resistance Coupe-Test resistance TDM-Test resistance TDM-Test resistance resistance resistance resistance TDM-Test resistance TDM-Test resistance resis
EN 388 Mechanical Risks resistance resistance Coupe-Test resistance Coupe-Test resistance resistance resistance resistance resistance resistance TDM-Test resistance
Risks resistance resi
Level not applicable Coupe-Test TDM-Test EN 374-1 Chemical Risks EN 374-4 Degradation EN 374-5 microorganism tightness EN 420 protective gloves The glove meets the requirements according to EN 455-1, EN 455-2, EN 455-3, EN 455-4. Force at break ≥ 3.6 N. EN 374-5 TDM-Test Chemical Code letter Sodium hydroxide 40% K Hydrogen Peroxide 30% Formaldehyde 37% T T EN 374-5 The glove is tight against microorganisms (viral, bacteria and fungi). Test according to ISO 16604 - method B. EN 420 protective gloves The glove meets the requirements according to EN 455-1, EN 455-2, EN 455-3, EN 455-4. Force at break ≥ 3.6 N.
EN 374-1 Chemical Risks EN 374-4 Degradation The glove is tight against microorganisms (viral, bacteria and fungi). Test according to ISO 16604 - method B. EN 420 protective gloves The glove meets the requirements according to EN 420 The glove meets the requirements according to EN 455-1, EN 455-2, EN 455-3, EN 455-4. Force at break ≥ 3.6 N. EN 425 The glove meets the requirements according to EN 455-1, EN 455-2, EN 455-3, EN 455-4. Force at break ≥ 3.6 N.
Chemical Risks Sodium hydroxide 40% K
Chemical Risks Sodium hydroxide 40% K
Hydrogen Peroxide 30% Formaldehyde 37% EN 374-5 microorganism tightness The glove is tight against microorganisms (viral, bacteria and fungi). Test according to ISO 16604 - method B. EN 420 protective gloves The glove meets the requirements according to EN 420 EN 455 The glove meets the requirements according to EN 455-1, EN 455-2, EN 455-3, EN 455-4. Force at break ≥ 3.6 N.
Degradation EN 374-5 microorganism tightness The glove is tight against microorganisms (viral, bacteria and fungi). Test according to ISO 16604 - method B. EN 420 protective gloves The glove meets the requirements according to EN 420 EN 455 The glove meets the requirements according to EN 455-1, EN 455-2, EN 455-3, EN 455-4. Force at break ≥ 3.6 N.
Degradation EN 374-5 microorganism tightness The glove is tight against microorganisms (viral, bacteria and fungi). Test according to ISO 16604 - method B. EN 420 protective gloves The glove meets the requirements according to EN 420 EN 455 The glove meets the requirements according to EN 455-1, EN 455-2, EN 455-3, EN 455-4. Force at break ≥ 3.6 N.
EN 374-5 microorganism tightness The glove is tight against microorganisms (viral, bacteria and fungi). Test according to ISO 16604 - method B. EN 420 protective gloves The glove meets the requirements according to EN 420 EN 455 The glove meets the requirements according to EN 455-1, EN 455-2, EN 455-3, EN 455-4. Force at break ≥ 3.6 N.
EN 374-5 microorganism tightness The glove is tight against microorganisms (viral, bacteria and fungi). Test according to ISO 16604 - method B. EN 420 protective gloves The glove meets the requirements according to EN 420 EN 455 The glove meets the requirements according to EN 455-1, EN 455-2, EN 455-3, EN 455-4. Force at break ≥ 3.6 N.
microorganism tightness EN 420 protective gloves The glove meets the requirements according to EN 420 EN 455 The glove meets the requirements according to EN 455-1, EN 455-2, EN 455-3, EN 455-4. Force at break ≥ 3.6 N.
tightness EN 420 protective gloves The glove meets the requirements according to EN 420 EN 455 The glove meets the requirements according to EN 455-1, EN 455-2, EN 455-3, EN 455-4. Force at break ≥ 3.6 N. FN
EN 420 protective gloves The glove meets the requirements according to EN 420 EN 455 The glove meets the requirements according to EN 455-1, EN 455-2, EN 455-3, EN 455-4. Force at break ≥ 3.6 N.
gloves The glove meets the requirements according to EN 455-1, EN 455-2, EN 455-3, EN 455-4. Force at break ≥ 3.6 N. FN
EN 455 The glove meets the requirements according to EN 455-1, EN 455-2, EN 455-3, EN 455-4. Force at break ≥ 3.6 N.
I S S S S S S S S S S S S S S S S S S S
medical gloves for 455
single use EN 455-1 The glove has an AQL < 1.5 in regards to the water retention test (sampling inspection in acc. to ISO 2859-1.
Ade
freedom from holes general Inspection Level I) (1.5)
TO COTO
EN 16350 not applicable
EN 16350 not applicable electrostatic properties

QMFORM_60.003 1/3









4MPri

Article-No.: 01033

Description: **BASIC TOUCH**

Latex examination glove

white, non sterile, powder free

generell information		
material	carton	
pieces per subpacking	100	
GTIN subpacking size XS	4044941005201	
GTIN subpacking size S	4044941005218	
GTIN subpacking size M	4044941005255	
GTIN subpacking size L	4044941005232	
GTIN subpacking size XL	4044941005249	
GTIN subpacking size XXL	-	
GTIN subpacking size XXXL	-	
PZN subpacking size XS	15577768	
PZN subpacking size S	15577751	
PZN subpacking size M	15577745	
PZN subpacking size L	15577739	
PZN subpacking size XL	15577722	
PZN subpacking size XXL	-	
PZN subpacking size XXXL	-	
measures & size		
length	220 mm	
width	115 mm	
heigth 67 mm		
weights		
size	gross weight*	
XS	460 g	
S	510 g	
M	560 g	
L	610 g	
XL	660 g	
XXL	-	
XXXL	-	

LOGISTIC DATA PALETTE			
general information			
kind of palett			
measures & size			
cartons per layer	9		
layers per palette	7		
heigth of the palette	173 cm		
weights			
size	gross weight*		
XS	346 kg		
S	378 kg		
М	409 kg		
L	441 kg		
XL	472 kg		
XXL	-		
XXXL	-		

EN



generell information material	carton	
subpackings per outer packing	10	
GTIN outer packing size XS	4044941005256	
GTIN outer packing size S	4044941005256	
GTIN outer packing size M	4044941005263	
GTIN outer packing size L	4044941005270	
GTIN outer packing size XL	4044941005294	
GTIN outer packing size XXL		
GTIN outer packing size XXXL	-	
PZN outer packing size XS	-	
PZN outer packing size S	-	
PZN outer packing size M	-	
PZN outer packing size L	-	
PZN outer packing size XL	-	
PZN outer packing size XXL	-	
PZN outer packing size XXXL	-	
measures & size		
length	343 mm	
width	233 mm	
heigth	225 mm	
weights		
size	gross weight*	
XS	5.100 g	
S	5.600 g	
M	6.100 g	
L	6.600 g	
XL	7.100 g	
XXL	-	
XXXL	-	



AMPri Handelsgesellschaft mbH

Benzstraße 16

21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0

> Homepage: www.ampri.de e-mail: info@ampri.de

Technical Data Sheet

Article-No.: 01033

Description: BASIC TOUCH

Latex examination glove

white, non sterile, powder free



WARNINGS AND SAFETY INFORMATION

storage /	exp	iry
date		

Store gloves in original packaging in a cool and dry place without additional weight, protect from direct sunlight. Do not store near ozone sources (laser printers, copiers). The actual expiry time in use cannot be specified in general terms, as it depends on the general conditions of use. An individual risk assessment must be carried out in each case. The expiry date - valid for proper storage - is stated on the packaging.

use and control

Always use protective gloves only for the intended use and in the correct size. A check/risk assessment must be carried out to ensure that the gloves are suitable for the intended use, as the conditions at the workplace may deviate from those of the type test depending on temperature, abrasion and degradation. Breakthrough times and permeation levels are based on laboratory measurements and are determined using samples taken from the palm of the hand. The actual duration of protection of a glove with a specific substance can vary significantly due to the conditions of use (temperature, abrasion, stretching). In the case of aggressive chemicals, degradation (change in mechanical properties) can be an important factor to consider when selecting chemical-resistant gloves. This information does not reflect the actual duration of protection in the workplace and the distinction between mixtures and pure chemicals. The chemical resistance was determined under laboratory conditions only on the basis of samples from the palm and refers only to the chemicals tested. The situation may be different if the chemical is used in a mixture. The penetration resistance was evaluated under laboratory conditions and refers only to the tested specimen. The degradation results according to EN ISO 374-4 show the change in puncture resistance of the gloves after exposure to the tested chemical.

Before use, the gloves must be checked for holes or damage.

disposal

Used gloves must be disposed of after contact with chemicals in accordance with the disposal regulations for the chemical and the regulations of the local waste disposal company. Unused gloves can be disposed of with household waste.

disinfection

Disinfection is not intended for these gloves and is the responsibility of the user.

warnings/ allergy information

Protective gloves are intended for single use only.

This product contains dithiocarbamates and natural latex, which can trigger allergic reactions, including anaphylactic reactions

donning and doffing instructions











*slight deviations possible due to standard tolerances

rev-no.: 2025-01 date 10.06.2025

changes and errors excepted

QMFORM_60.003 issue date: 16.04.2025