

Technical Data Sheet

Article-No.: **07510**
Description: **ECO-PLUS**
disposable antislip socks
double-side coated



DIMENSIONS*			
size	dimensions	Wearing advice for shoe size	colour
S	240 x 95 mm	35-36	yellow
M	280 x 100 mm	37-38	green
L	320 x 100 mm	39-41	blue
XL	340 x 110 mm	42-43	beige
XXL	380 x 110 mm	44-47	grey
XXXL	410 x 120 mm	47-79	anthracite
X-Weit	-	-	-
uni	-	-	-

PRODUCT DESCRIPTION							
material	☒ polyester (PES)	☒ terrycloth inside	☒ poly-foam studs				
characteristics	☐ latex-free	☐ high elastic content	☐ disposable product - not washable	☒ double-side coated			
remarks	#NV						

REGULATORY AFFAIRS							
PPE-Regulation (EU) 2016/425	☐ category I	☐ category II	☐ category III	☒ no PPE-article			
MD-Regulation (EU) 2017/745	☐ class I	☐ class II	☐ class III	☐ sterile	☐ measuring fundtion	☒ no medical device	

Technical Data Sheet

Article-No.: **07510**
Description: **ECO-PLUS**
disposable antislip socks
double-side coated



LOGISTIC DATA SUBPACKING	
general information	
material	bag
pieces per subpacking	2
GTIN subpacking S	4044941736501
GTIN subpacking M	4044941736525
GTIN subpacking L	4044941736549
GTIN subpacking XL	4044941736563
GTIN subpacking XXL	4044941736587
GTIN subpacking XXXL	4044941736600
GTIN subpacking X-Weit	-
GTIN subpacking uni	-
measures & sizes	
length	240 mm
width	130 mm
height	-

weights	
size	brut weight*
S	35 g
M	38 g
L	41 g
XL	45 g
XXL	51 g
XXXL	58 g
X-Weit	-
uni	-

LOGISTIC DATA PALETTE	
general information	
kind of palette	euro-palette
measures & sizes	
cartons per palette	60
palette height S-XL	156 cm
palette height XXL-XXXL	190 cm
weights	
size	brut weight*
S	160 kg
M	169 kg
L	178 kg
XL	190 kg
XXL	208 kg
XXXL	229 kg
X-Weit	-
uni	-

LOGISTIC DATA OUTER PACKING	
general information	
material	carton
subpackings per outer packing	50
GTIN outer packing S	404941736518
GTIN outer packing M	4044941736532
GTIN outer packing L	4044941736556
GTIN outer packing XL	4044941736570
GTIN outer packing XXL	4044941736594
GTIN outer packing XXXL	4044941736617
GTIN outer packing X-Weit	-
GTIN outer packing uni	-
measures & sizes	
length	356 mm
width S-XL	279 mm
width XXL-XXXL	292 mm
height S-L	178 mm
height XL-XXXL	203 mm
weights	
size	brut weight*
S	2.250 g
M	2.400 g
L	2.550 g
XL	2.750 g
XXL	3.050 g
XXXL	3.400 g
X-Weit	-
uni	-

Technical Data Sheet

Article-No.: **07510**
Description: **ECO-PLUS**
disposable antislip socks
double-side coated



WARNINGS AND SAFETY INFORMATION

storage / expiry date	Store product in original packaging in a cool and dry place without additional weight, protect from direct sunlight. Do not store near ozone sources (laser printers, copiers). An individual risk assessment must be carried out in each case.
use and control	Only ever use the product for its intended use. A check/risk assessment must be carried out to ensure that the product is suitable for the intended use. Ensure that the size matches that of the user. Do not make any changes to the product. Make sure that the product has no defects and is in good condition (no holes, unstitched parts, etc.). This product is intended for single use only
disposal	The used product must be disposed of in accordance with the disposal regulations of the local waste disposal company. Unused products can be disposed of with household waste.
warnings	Slip hazard in wet conditions: The socks provide slip-resistant protection on dry floors, but may be less effective on wet or slippery surfaces. Not suitable for outdoor use: The anti-slip socks are designed for indoor use and may not provide the necessary grip on outdoor surfaces such as asphalt, stone or similar surfaces. Only use on intact floors: Inspect the floor before use. Damaged, cracked or uneven floors may affect slip resistance. Only put the product on when dry: Moisture on the skin or socks can impair adhesion and increase the risk of slipping. No protection against sharp or hot surfaces: The socks offer no protection against sharp objects or extremely hot surfaces.

*slight deviations possible due to standard tolerances

rev-no.: 2025-01
date: 11. 09.2025

changes and errors excepted