

Data She	et				36	
01033					15	
Latex exami	nation glove	r free	BASIC-TOUCH			
palm fir	ngertips					
0,10 mm 0,	.11 mm					
TION						
☑ Latex	Nitrile	Uinyl	Vinyl-Nitrile- mixture	Polyethy-lene (PE)	П ТРЕ	
	blue	black	mint	purple	mix	apple-green
				trous	specific	biodgra- dable
I full textured	└─ finger textured	□ not textured	└┘ embossed	double polymo	er coated	
XS (5-6)	S (6-7)	M (7-8)	L (8-9)	XL (9-10)	XXL (10-11)	XXXL (11-12)
					-	-
	2 240 11111	2 240 11111	2 240 11111	2 240 11111	-	-
Category I	Category II	✓ Category III	no PPE-article			
			sterile	measuring	no medical	CE
				function	device	
☑ acidic foods	☑ aqueous foods	✓ fatty foods	<ul> <li>✓ alcoholic foods</li> </ul>	✓ dry foods	not approved for food-	<b>7</b>
					contact	
abrasion resistance	blade cut resistance Coupe-Test	tear resistance	puncture resistance	blade cut resistance TDM-Test	impact test	
not applicable						
chemical		code letter	level	permeation time	degradation	
		К	6	> 480 min	-62,5 %	ISO 374-1/Type B
						「一一」
Formaldenyde 37%	0		4	> 120 mm	-87,4 %	
The glove is tight a	gainst microorgani	sms (viral, bacteria	and fungi). Test acco	ording to ISO 16604	- method B.	KPT EN ISO 374-5:2016 VIRUS
The glove meets th	ne requirements ac	cording to EN 420				
The glove meets the requirements according to EN 455-1, EN 455-2, EN 455-3, EN 455-4					EN 455	
	•	to the water retent	ion test (sampling	inspection in acc. to	ISO 2859-1,	AQL (1.5)
not applicable						· 
	O1033 BASIC TO Latex exami white, non s palm fir 0,10 mm 0, C.10 mm 0, Latex $< > > > > > > > > > > > > > > > > > > $	Second secon	O1033 BASIC TOUCH Latex examination glove white, non sterile, powder free         palm       fingertips 0.10 mm       0.11 mm         Clatex       Nitrile       Vinyl         ✓       Latex       Nitrile       black         prepowdered       powderfree       sterile         ✓       full textured       finger textured       not textured         ✓       full textured       finger textured       not textured         XS (5-6)       S (6-7)       M (7-8)         ≤ 80 mm       80 ± 10 mm       95 ± 10 mm         ≥ 240 mm       ≥ 240 mm       ≥ 240 mm         XS       Category I       Category II       Category III         ✓       Class I       Class II a       Class III         ✓       acidic foods       ✓       aqueous foods       fatty foods         Not applicable         Code letter         Sodium hydroxide 40%       K       K       K         Hydrogen Peroxide 30%       P       P          Formaldehyde 37%       T           The glove meets the requirements according to EN 420       The glove meets the requirements according to EN 455-1         The glove has an AQL < 1.5 in regards to the water re	O1033 BASIC TOUCH Latex examination glove white, non sterile, powder free         palm       fingertips 0,10 mm       0,11 mm         Clatex       Nitrile       Vinyl       Vinyl-Nitrile- mixture         viite       blue       black       mint         prepowdered       powderfree       sterile       onon sterile         full textured       finger textured       not textured       embossed         xS (5-6)       S (6-7)       M (7-8)       L (8-9)         ≤ 80 mm       80 ± 10 mm       95 ± 10 mm       110 ± 10 mm         ≥ 240 mm       ≥ 240 mm       ≥ 240 mm       ≥ 240 mm         2 Clategory I       Category III       Category III       no PPE-article         class II       Class II a       Class III       sterile         acidic foods       aqueous foods       fatty foods       alcoholic foods         dum hydroxide 40%       K       6       Hydrogen Peroxide 30%       P       2         Formaldehyde 37%       T       4       -       -       -         The glove meets the requirements according to EN 420       The glove has an AQL < 1.5 in regards to the water retention test (sampling general inspection Level I)       -       -	<b>01033</b> BASIC TOUCH Latex examination glove white, non sterile, powder free         paim       fingertips 0.10 mm       0.31 mm         TON         Latex       Nitrile       Vinyl       Vinyl-Nitrile       Polyethy-lene mixture         white       blue       black       mint       purple         white       blue       black       mint       purple         prepowdered       powderfree       sterile       non sterile       ambidex. trous         full textured       finger textured       not textured       embossed       double polym         XS (5-6)       S (6-7)       M (7-8)       L (8-9)       XL (9-10)         ≤ 80 mm       80 ± 10 mm       95 ± 10 mm       110 ± 10 mm       115 ± 10 mm         ≥ 240 mm       ≥ 240 mm       ≥ 240 mm       ≥ 240 mm       ≥ 240 mm         Category I       Category II       Category III       no PPE-article       inction         Gategory I       Category II       Category III       no PPE-article       inction         Gategory I       Category II       Category III       no PPE-article       inction         Gategory I       Category II       Category II       no PPE-article       inction         Sodi	Start of the second



AMPri Handelsgesellschaft mbH Benzstraße 16 21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

# **Technical Data Sheet**

### Article-No.: 01033

Description:

**BASIC TOUCH** Latex examination glove white, non sterile, powder free

LOGISTIC DATA	SUBPACKING	
generell information	on	
material	carton	
pieces per subpack	100	
GTIN subpacking si	4044941005201	
GTIN subpacking si	4044941005218	
GTIN subpacking si	4044941005255	
GTIN subpacking si	4044941005232	
GTIN subpacking si	4044941005249	
GTIN subpacking si	-	
GTIN subpacking si	-	
PZN subpacking size XS		15577768
PZN subpacking siz	15577751	
PZN subpacking siz	15577745	
PZN subpacking siz	15577739	
PZN subpacking siz	15577722	
PZN subpacking siz	-	
PZN subpacking siz	-	
measures & size		
length	220 mm	
width		115 mm
heigth		67 mm
weights		
size	net weight	gross weight
XS	400 g	460 g
S	450 g	510 g
М	500 g	560 g
L	550 g	610 g
XL	600 g	660 g
XXL	-	-
XXXL	-	-

LOGISTIC DATA PALETTE					
general information					
kind of palett		euro-palette			
measures & size					
cartons per layer	9				
layers per palette		7			
heigth of the palette		173 cm			
weights					
size	net weight	gross weight			
XS	321 g	346 g			
S	353 g	378 g			
М	384 g	409 g			
L	416 g	441 g			
XL	447 g	472 g			
XXL	-	-			
XXXL -		-			



LOGISTIC DATA OUTER PACKING					
generell informatio	n				
material		carton			
subpackings per out	er packing	10			
GTIN outer packing	size XS	4044941005256			
GTIN outer packing	size S	4044941005263			
GTIN outer packing	size M	4044941005270			
GTIN outer packing	4044941005287				
GTIN outer packing	4044941005294				
GTIN outer packing	-				
GTIN outer packing	size XXXL	-			
PZN outer packing s	ize XS	-			
PZN outer packing s	ize S	-			
PZN outer packing s	ize M	-			
PZN outer packing s	ize L	-			
PZN outer packing s	ize XL	-			
PZN outer packing s	ize XXL	-			
PZN outer packing s	ize XXXL	-			
measures & size					
length		343 mm			
width		233 mm			
heigth		225 mm			
weights					
size	net weight	gross weight			
XS	4.600 g	5.100 g			
S	5.100 g	5.600 g			
М	5.600 g	6.100 g			
L	6.100 g	6.600 g			
XL	6.600 g	7.100 g			
XXL	-	-			
XXXL	-	-			



AMPri Handelsgesellschaft mbH Benzstraße 16 21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

# **Technical Data Sheet**

#### Article-No.: 01033

Description:

**BASIC TOUCH** Latex examination glove white, non sterile, powder free



#### WARNINGS AND SAFETY INFORMATION storage / expiry Store gloves in original packaging in a cool and dry place without additional weight, protect from direct sunlight. Do not store near ozone date sources (laser printers, copiers). The actual expiry time in use cannot be specified in general terms, as it depends on the general conditions of use. An individual risk assessment must be carried out in each case. The expiry date - valid for proper storage - is stated on the packaging. Always use protective gloves only for the intended use and in the correct size. A check/risk assessment must be carried out to ensure that use and control the gloves are suitable for the intended use, as the conditions at the workplace may deviate from those of the type test depending on temperature, abrasion and degradation. Breakthrough times and permeation levels are based on laboratory measurements and are determined using samples taken from the palm of the hand. The actual duration of protection of a glove with a specific substance can vary significantly due to the conditions of use (temperature, abrasion, stretching). In the case of aggressive chemicals, degradation (change in mechanical properties) can be an important factor to consider when selecting chemical-resistant gloves. This information does not reflect the actual duration of protection in the workplace and the distinction between mixtures and pure chemicals. The chemical resistance was determined under laboratory conditions only on the basis of samples from the palm and refers only to the chemicals tested. The situation may be different if the chemical is used in a mixture. The penetration resistance was evaluated under laboratory conditions and refers only to the tested specimen. The degradation results according to EN ISO 374-4 show the change in puncture resistance of the gloves after exposure to the tested chemical. Before use, the gloves must be checked for holes or damage. disposal Used gloves must be disposed of after contact with chemicals in accordance with the disposal regulations for the chemical and the regulations of the local waste disposal company. Unused gloves can be disposed of with household waste. disinfection Disinfection is not intended for these gloves and is the responsibility of the user. warnings/ Protective gloves are intended for single use only. This product contains dithiocarbamates and natural latex, which can trigger allergic reactions, including anaphylactic reactions allergy information

donning and doffing instructions