

AMPri Handelsgesellschaft mbH Benzstraße 16 21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

Technical	Data She	et				<b>M</b> ,	
Article-No.: Description:		) nination glove terile, powder	free		BLACK 300		
THICKNESS* cuff 0,07 mm		ngertips ,12 mm					
PRODUCT DESCRIP material	TION Latex	☑ Nitrile	Uinyl	Vinyl-Nitrile-	Polyethy-lene	П ТРЕ	Cotton
colour characteristics	white prepowdered	□ blue ☑ powderfree	<ul><li>☑ black</li><li>☑ sterile</li></ul>	mixture mint non sterile	(PE) □ purple □ ambidex- trous	<ul> <li>mix</li> <li>fits hand- specific</li> </ul>	<ul> <li>bordeaux</li> <li>Aloe Vera inner coating</li> </ul>
surface	✓ textured	not textured	embossed				
SIZES width	<b>XS (5-6)</b> ≤ 80 mm	<b>S (6-7)</b> 80 ± 10 mm	<b>M (7-8)</b> 95 ± 10 mm	<b>L (8-9)</b> 110 ± 10 mm	<b>XL (9-10)</b> 115 ± 10 mm	XXL (10-11)	XXXL (11-12)
length	≤ 80 mm ≥ 300 mm	≥ 300 mm	95 ± 10 mm ≥ 300 mm	≥ 300 mm	≥ 300 mm	-	-
REGULATORY AFFA PPE-Regulation (EU) 2016/425 MD-Regulation (EU) 2017/745	Category I	Category II Class II a	Category III	<ul> <li>no PPE-article</li> <li>sterile</li> </ul>	measuring function	no medical device	CE
Food Contact (EG) 1935/2004	☑ acidic foods	✓ aqueous foods	✓ fatty foods	✓ alcoholic foods	dry foods	not approved for food- contact	۳7
STANDARDISATION	N						
EN 388 Mechanical Risks	abrasion resistance	blade cut resistance Coupe-Test	tear resistance	puncture resistance	blade cut resistance TDM-Test	impact test	
Level	not applicable						
EN 374-1			mical		code letter		
Chemical Risks	Sodium hydroxide 40%     K       Hydrogen Peroxide 30%     P						ISO 374-1/Type B
EN 374-4 Degradation	Formaldehyde 37% P T					КРТ	
EN 374-5 microorganism tightness	The glove is tight against microorganisms (viral, bacteria and fungi). Test according to ISO 16604 - method B.					EN ISO 374-52016	
EN ISO 21420 protective gloves	The glove meets the glove meet	he requirements ac	cording to EN ISO 22	1420			
EN 455 medical gloves for single use	The glove meets the requirements according to EN 455-1, EN 455-2, EN 455-3, EN 455-4. Force at break ≥ 3.6 N.						EN 455
EN 455-1 freedom from holes	The glove has an AQL < 1.5 in regards to the water retention test (sampling inspection in acc. to ISO 2859-1, general Inspection Level I)						AQL (1.5)
EN 16350 electrostatic properties	not applicable						



AMPri Handelsgesellschaft mbH Benzstraße 16 21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

## **Technical Data Sheet**

Article-No.: **191-012** 

Description:

Black 300

Nitrile examination glove mint, non sterile, powder free

LOGISTIC DATA SUBPACKING		
generell information		
material	carton	
pieces per subpacking	100	
GTIN subpacking size XS	4044941730073	
GTIN subpacking size S	4044941730097	
GTIN subpacking size M	4044941730110	
GTIN subpacking size L	4044941730134	
GTIN subpacking size XL	4044941730158	
GTIN subpacking size XXL	-	
GTIN subpacking size XXXL	-	
PZN subpacking size XS	18471881	
PZN subpacking size S	18471875	
PZN subpacking size M	18471912	
PZN subpacking size L	18471906	
PZN subpacking size XL	18471898	
PZN subpacking size XXL	-	
PZN subpacking size XXXL	-	
measures & size		
length	280 mm	
width	135 mm	
heigth	60 mm	
weights		
size	gross weight*	
xs	500 g	
S	540 g	
Μ	580 g	
L	620 g	
XL	680 g	
XXL	-	
XXXL	-	

LOGISTIC DATA PALETTE		
general information		
kind of palett	euro-palette	
measures & size		
cartons per layer	8	
layers per palette	6	
heigth of the palette	195 cm	
weights		
size	gross weight*	
XS	289 kg	
S	308 kg	
M	327 kg	
L	347 kg	
XL	375 kg	
XXL	-	
XXXL	-	



LOGISTIC DATA OUTER PACKING	
generell information	
material	carton
subpackings per outer packing	10
GTIN outer packing size XS	4044941730080
GTIN outer packing size S	4044941730103
GTIN outer packing size M	4044941730127
GTIN outer packing size L	4044941730141
GTIN outer packing size XL	4044941730165
GTIN outer packing size XXL	-
GTIN outer packing size XXXL	-
PZN outer packing size XS	-
PZN outer packing size S	-
PZN outer packing size M	-
PZN outer packing size L	-
PZN outer packing size XL	-
PZN outer packing size XXL	-
PZN outer packing size XXXL	-
measures & size	
length	310 mm
width	290 mm
heigth	300 mm
weights	
size	gross weight*
XS	5.500 g
S	5.900 g
Μ	6.300 g
L	6.700 g
XL	7.300 g
XXL	-
XXXL	-



AMPri Handelsgesellschaft mbH Benzstraße 16 21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

## **Technical Data Sheet**

Article-No.: **191-012** 

Description:

Black 300 Nitrile examination glove mint, non sterile, powder free



storage / expiry date	Store gloves in original packaging in a cool and dry place without additional weight, protect from direct sunlight. Do not store near ozone sources (laser printers, copiers). The actual expiry time in use cannot be specified in general terms, as it depends on the general condition					
	of use. An individual risk assessment must be carried out in each case. The expiry date - valid for proper storage - is stated on the packaging.					
use and control	Always use protective gloves only for the intended use and in the correct size. A check/risk assessment must be carried out to ensure that the gloves are suitable for the intended use, as the conditions at the workplace may deviate from those of the type test depending on temperature, abrasion and degradation. Breakthrough times and permeation levels are based on laboratory measurements and are determined using samples taken from the palm of the hand. The actual duration of protection of a glove with a specific substance can var significantly due to the conditions of use (temperature, abrasion, stretching). In the case of aggressive chemicals, degradation (change in mechanical properties) can be an important factor to consider when selecting chemical-resistant gloves. This information does not reflect the actual duration of protection in the workplace and the distinction between mixtures and pure chemicals. The chemical resistance was					
	determined under laboratory conditions only on the basis of samples from the palm and refers only to the chemicals tested. The situation may be different if the chemical is used in a mixture. The penetration resistance was evaluated under laboratory conditions and refers onl to the tested specimen. The degradation results according to EN ISO 374-4 show the change in puncture resistance of the gloves after exposure to the tested chemical. Before use, the gloves must be checked for holes or damage.					
disposal	Used gloves must be disposed of after contact with chemicals in accordance with the disposal regulations for the chemical and the regulations of the local waste disposal company. Unused gloves can be disposed of with household waste.					
disinfection	Disinfection is not intended for these gloves and is the responsibility of the user.					
warnings/	Protective gloves are intended for single use only.					
allergy	This product contains dithiocarbamates, which may cause allergic reactions					
donning and doffing instructions						

\*slight deviations possible due to standard tolerances

changes and errors excepted

rev-no.: 2025-01 date 10.06.2025