

21423 Winsen (Luhe) - Germany

Telefon: +49 (0)4171 / 8480-0

Homepage: www.ampri.de e-mail: info@ampri.de

Technical Data Sheet


Article-No.: 118-300

4MPri

Description: **STYLE Peppermint Rosie**

Nitrile examination glove

light pink + mint, non sterile, powder free





PRODUCT DESCRIP	TION						
material	Latex	✓ Nitrile	□ Vinyl	☐ Vinyl-Nitrile-	☐ Polyethy-lene	☐ TPE	□ cotton
				mixture	(PE)		
colour	□ white	□ blue	black	✓ mint	☐ purple	☐ mix	✓ light pink
characteristics	prepowdered	powderfree	sterile	non sterile	☑ ambidex-	fits hand-	☐ biodgra-
					trous	specific	dable
surface	☐ full textured		□ not textured	embossed	chlorinated ins	ide	
		textured					
SIZES							
	XS (5-6)	S (6-7)	M (7-8)	L (8-9)	XL (9-10)	XXL (10-11)	XXXL (11-12)
width	≤ 80 mm	80 ± 10 mm	95 ± 10 mm	110 ± 10 mm	115 ± 10 mm	-	-
length	≥ 240 mm	≥ 240 mm	≥ 240 mm	≥ 240 mm	≥ 240 mm	-	-
REGULATORY AFFA	IRS						
PPE-Regulation	☐ Category I	☐ Category II	✓ Category III	☐ no PPE-article			
(EU) 2016/425			,				
MD-Regulation	✓ Class I	Class II a	Class III	sterile	☐ measuring	no medical	CE
(EU) 2017/745					function	device	
Food Contact	☑ acidic foods	☑ aqueous		☑ alcoholic	☑ dry foods	not approved	
(EG) 1935/2004		foods		foods		for food-	ו אלו
						contact	
STANDARDISATION	1		•	•	•		
EN 388 Mechanical	abrasion	blade cut	tear resistance	nn.etne	blade cut	imme et te et	
Risks	resistance	resistance	tear resistance	puncture resistance	resistance	impact test	
RISKS	resistance			resistance	TDM-Test		
		Coune-Test					
Level	not applicable	Coupe-Test			1 Divi-1est		
Level	not applicable	Coupe-Test	code letter	level	permeation time	degradation	
		·	code letter	level 6		degradation 15,1 %	ISO 374-1/Type B
EN 374-1	chemical	40%			permeation time		ISO 374-1/Type B
EN 374-1	chemical Sodium hydroxide	40% e 30%	K	6	permeation time > 480 min	15,1 %	ISO 374-1/Type B
EN 374-1 Chemical Risks	chemical Sodium hydroxide Hydrogen Peroxide	40% e 30%	K P	6 2	permeation time > 480 min > 30 min	15,1 % -74,7 %	ISO 374-1/Type B
EN 374-1 Chemical Risks EN 374-4	chemical Sodium hydroxide Hydrogen Peroxide	40% e 30%	K P	6 2	permeation time > 480 min > 30 min	15,1 % -74,7 %	
EN 374-1 Chemical Risks EN 374-4 Degradation	chemical Sodium hydroxide Hydrogen Peroxide Formaldehyde 37%	40% 2 30% 6	K P T	6 2 5	permeation time	15,1 % -74,7 % 24,0 %	ISO 374-1/Type B
EN 374-1 Chemical Risks EN 374-4 Degradation EN 374-5	chemical Sodium hydroxide Hydrogen Peroxide Formaldehyde 37%	40% 2 30% 6	K P T	6 2 5	permeation time > 480 min > 30 min	15,1 % -74,7 % 24,0 %	KPT 8N 150 374-52016
EN 374-1 Chemical Risks EN 374-4 Degradation EN 374-5 microorganism	chemical Sodium hydroxide Hydrogen Peroxide Formaldehyde 37%	40% 2 30% 6	K P T	6 2 5	permeation time	15,1 % -74,7 % 24,0 %	KPT 88 150 274-5-2016
EN 374-1 Chemical Risks EN 374-4 Degradation EN 374-5	chemical Sodium hydroxide Hydrogen Peroxide Formaldehyde 37%	40% 2 30% 6	K P T	6 2 5	permeation time	15,1 % -74,7 % 24,0 %	KPT 8N 150 374-52016
EN 374-1 Chemical Risks EN 374-4 Degradation EN 374-5 microorganism tightness	chemical Sodium hydroxide Hydrogen Peroxide Formaldehyde 37% The glove is tight a	40% 2 30% 6 gainst microorganis	K P T	6 2 5 5 and fungi). Test acco	permeation time	15,1 % -74,7 % 24,0 %	KPT 88 150 274-5-2016
EN 374-1 Chemical Risks EN 374-4 Degradation EN 374-5 microorganism tightness	chemical Sodium hydroxide Hydrogen Peroxide Formaldehyde 37% The glove is tight a	40% 2 30% 6 gainst microorganis	K P T T sms (viral, bacteria a	6 2 5 5 and fungi). Test acco	permeation time	15,1 % -74,7 % 24,0 %	KPT 81 150 274-52016
EN 374-1 Chemical Risks EN 374-4 Degradation EN 374-5 microorganism tightness EN ISO 21420 protective gloves	chemical Sodium hydroxide Hydrogen Peroxide Formaldehyde 37% The glove is tight a	40% 2 30% 6 gainst microorganis	K P T sms (viral, bacteria a	6 2 5 5 and fungi). Test acco	permeation time	15,1 % -74,7 % 24,0 %	KPT EN 150 374-52016 VIRUS
EN 374-1 Chemical Risks EN 374-4 Degradation EN 374-5 microorganism tightness EN ISO 21420 protective gloves	chemical Sodium hydroxide Hydrogen Peroxide Formaldehyde 37% The glove is tight a	40% 2 30% 6 gainst microorganis	K P T sms (viral, bacteria a	6 2 5 5 and fungi). Test acco	permeation time	15,1 % -74,7 % 24,0 %	KPT 88 150 274-5-2016
EN 374-1 Chemical Risks EN 374-4 Degradation EN 374-5 microorganism tightness EN ISO 21420 protective gloves EN 455 medical gloves for	chemical Sodium hydroxide Hydrogen Peroxide Formaldehyde 37% The glove is tight a	40% 2 30% 6 gainst microorganis	K P T sms (viral, bacteria a	6 2 5 5 and fungi). Test acco	permeation time	15,1 % -74,7 % 24,0 %	KPT EN 150 374-52016 VIRUS
EN 374-1 Chemical Risks EN 374-4 Degradation EN 374-5 microorganism tightness EN ISO 21420 protective gloves EN 455 medical gloves for single use	chemical Sodium hydroxide Hydrogen Peroxide Formaldehyde 37% The glove is tight a The glove meets th	40% 2 30% 6 gainst microorganis ne requirements accorde requirements accorder	K P T sms (viral, bacteria according to EN ISO 21	6 2 5 and fungi). Test acco	permeation time	15,1 % -74,7 % 24,0 %	KPT *** ISB 274-5-2016 *** VIRUS EN 455
EN 374-1 Chemical Risks EN 374-4 Degradation EN 374-5 microorganism tightness EN ISO 21420 protective gloves EN 455 medical gloves for single use EN 455-1	chemical Sodium hydroxide Hydrogen Peroxide Formaldehyde 37% The glove is tight a The glove meets th The glove meets th	40% 2 30% 6 gainst microorganis ne requirements accorder requireme	K P T sms (viral, bacteria according to EN ISO 21	6 2 5 and fungi). Test acco	permeation time	15,1 % -74,7 % 24,0 %	KPT EN 455 AQL
EN 374-1 Chemical Risks EN 374-4 Degradation EN 374-5 microorganism tightness EN ISO 21420 protective gloves EN 455 medical gloves for single use	chemical Sodium hydroxide Hydrogen Peroxide Formaldehyde 37% The glove is tight a The glove meets th	40% 2 30% 6 gainst microorganis ne requirements accorder requireme	K P T sms (viral, bacteria according to EN ISO 21	6 2 5 and fungi). Test acco	permeation time	15,1 % -74,7 % 24,0 %	KPT *** ISB 274-5-2016 *** VIRUS EN 455
EN 374-1 Chemical Risks EN 374-4 Degradation EN 374-5 microorganism tightness EN ISO 21420 protective gloves EN 455 medical gloves for single use EN 455-1 freedom from holes	chemical Sodium hydroxide Hydrogen Peroxide Formaldehyde 37% The glove is tight a The glove meets th The glove meets th The glove has an A general Inspection	40% 2 30% 6 gainst microorganis ne requirements accorder requireme	K P T sms (viral, bacteria according to EN ISO 21	6 2 5 and fungi). Test acco	permeation time	15,1 % -74,7 % 24,0 %	KPT 68 150 274-5-2016 VIRUS EN 455
EN 374-1 Chemical Risks EN 374-4 Degradation EN 374-5 microorganism tightness EN ISO 21420 protective gloves EN 455 medical gloves for single use EN 455-1 freedom from holes	chemical Sodium hydroxide Hydrogen Peroxide Formaldehyde 37% The glove is tight a The glove meets th The glove meets th	40% 2 30% 6 gainst microorganis ne requirements accorder requireme	K P T sms (viral, bacteria according to EN ISO 21	6 2 5 and fungi). Test acco	permeation time	15,1 % -74,7 % 24,0 %	KPT 68 150 274-5-2016 VIRUS EN 455
EN 374-1 Chemical Risks EN 374-4 Degradation EN 374-5 microorganism tightness EN ISO 21420 protective gloves EN 455 medical gloves for single use EN 455-1 freedom from holes	chemical Sodium hydroxide Hydrogen Peroxide Formaldehyde 37% The glove is tight a The glove meets th The glove meets th The glove has an A general Inspection	40% 2 30% 6 gainst microorganis ne requirements accorder requireme	K P T sms (viral, bacteria according to EN ISO 21	6 2 5 and fungi). Test acco	permeation time	15,1 % -74,7 % 24,0 %	KPT 68 150 274-5-2016 VIRUS EN 455



21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de

e-mail: info@ampri.de


Technical Data Sheet

Article-No.: 118-300

Description: STYLE Peppermint Rosie

Nitrile examination glove


light pink + mint, non sterile, powder free



LOGISTIC DATA PALETTE						
general information	ı					
kind of palett		euro-palette				
measures & size						
cartons per layer		10				
layers per palette		6				
heigth of the palette	2	183 cm				
weights						
size	net weight	gross weight				
XS	220 kg	245 kg				
S	229 kg	254 kg				
M	237 kg	262 kg				
L	250 kg	275 kg				
XL	268 kg	293 kg				
XXL	-	-				
XXXL	-	_				



generell informatio	n	
material	carton	
subpackings per ou	12	
GTIN outer packing	4044941736990	
GTIN outer packing	4044941737010	
GTIN outer packing	4044941737034	
GTIN outer packing	4044941737058	
GTIN outer packing	4044941737072	
GTIN outer packing	-	
GTIN outer packing		-
PZN outer packing s	ize XS	-
PZN outer packing s	ize S	-
PZN outer packing s	ize M	-
PZN outer packing s	ize L	-
PZN outer packing s	ize XL	-
PZN outer packing s	-	
PZN outer packing s	-	
measures & size		
length	375 mm	
width	210 mm	
heigth	280 mm	
weights		
size	net weight	gross weight
XS	3.168 g	3.668 g
S	3.312 g	3.812 g
М	3.456 g	3.956 g
L	3.672 g	4.172 g
XL	3.960 g	4.460 g
XXL	-	-
XXXL	-	-





21423 Winsen (Luhe) - Germany

Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

Technical Data Sheet

Article-No.: 118-300

Description: STYLE Peppermint Rosie

Nitrile examination glove

light pink + mint, non sterile, powder free



WARNINGS AND SAFETY INFORMATION

storage /	expiry
date	

Store gloves in original packaging in a cool and dry place without additional weight, protect from direct sunlight. Do not store near ozone sources (laser printers, copiers). The actual expiry time in use cannot be specified in general terms, as it depends on the general conditions of use. An individual risk assessment must be carried out in each case. The expiry date - valid for proper storage - is stated on the packaging.

use and control

Always use protective gloves only for the intended use and in the correct size. A check/risk assessment must be carried out to ensure that the gloves are suitable for the intended use, as the conditions at the workplace may deviate from those of the type test depending on temperature, abrasion and degradation. Breakthrough times and permeation levels are based on laboratory measurements and are determined using samples taken from the palm of the hand. The actual duration of protection of a glove with a specific substance can vary significantly due to the conditions of use (temperature, abrasion, stretching). In the case of aggressive chemicals, degradation (change in mechanical properties) can be an important factor to consider when selecting chemical-resistant gloves. This information does not reflect the actual duration of protection in the workplace and the distinction between mixtures and pure chemicals. The chemical resistance was determined under laboratory conditions only on the basis of samples from the palm and refers only to the chemicals tested. The situation may be different if the chemical is used in a mixture. The penetration resistance was evaluated under laboratory conditions and refers only to the tested specimen. The degradation results according to EN ISO 374-4 show the change in puncture resistance of the gloves after exposure to the tested chemical.

Before use, the gloves must be checked for holes or damage.

disposal

Used gloves must be disposed of after contact with chemicals in accordance with the disposal regulations for the chemical and the regulations of the local waste disposal company. Unused gloves can be disposed of with household waste.

disinfection

Disinfection is not intended for these gloves and is the responsibility of the user.

warnings/ allergy information

Protective gloves are intended for single use only.

This product contains dithiocarbamates, which may cause allergic reactions

donning and doffing instructions











rev-no.: 0

date 03.09.2024 changes and errors excepted