

## Declaration of Conformity in accordance with Regulation (EC) 1935/2004

the manufacturer:
Ampri Handelsgesellschaft mbH
Benzstr. 16
21423 Winsen (Luhe)
Germany

confirms the conformity of article

01090-L, 01090-S Med-Comfort				
transparent				

disposable PE-gloves

with the rules of the

Regulation (EC) 1935/2004 - article 3, 5, 11, 15 and 17-,

german feed and food code – LFGB,

Regulation (EC) 10/2011, with regard to the migration behaviour,

and the german recommendation XXI of the Federal Institute for Risk Assessment (BfR).

#### Specification of the intended use or limitations

The above-mentioned article can be used safely in the preparation and treatment of food. In this process, they may be in direct contact with the following types of food for a short time:

all types					
•					
Restriction					
	The article is not s	uitable for the follow	wing types of food:		
not applicable					

The valuation basis for the glove-application is a surface-to-volume ratio of 8,4 dm<sup>2</sup> per 5kg food in accordance with the German BfR.

#### sensory evaluation

simulant solution	conditioning	testing	result
water	30 minutes 40°C	odour change	no changes
water	30 minutes 20°C	flavour change	very slight changes



## results of the overall migration

simulant solution	conditioning	overall migration mg/dm <sup>2</sup>	limit mg/dm²
acetic acid 3%	2 houres 70°C	< 3 mg/dm <sup>2</sup>	10 mg/dm <sup>2</sup>
ethanol 95%	2 houres 70°C	< 3 mg/dm <sup>2</sup>	10 mg/dm <sup>2</sup>
Isooctane	30 minutes 40°C	< 3 mg/dm <sup>2</sup>	10 mg/dm <sup>2</sup>
ethanol 10%	2 houres 70°C	< 3 mg/dm <sup>2</sup>	10 mg/dm <sup>2</sup>

## results of the specific migration

compound	simulant solution	Conditioning or other analytical methods	result	limit
Primary aromatic amines (PAA)	acetic acid 3%	10 minutes 40°C	< 0,02 mg/l	≤ 0,02 mg/l
Polycyclic aromatic hydrocarbons (PAH)	Isooctane	5 minutes 20°C	not determinable	≤ 10 µg/kg
Formaldehyde	acetic acid 3%	10 minutes 40°C	< 0,02 mg/kg	≤ 3 mg/kg

#### **Result total content**

compound	simulant solution	Conditioning or other analytical methods	result	limit
Polycyclic aromatic hydrocarbons (PAH)	Isooctane	24 minutes 20°C	not determinable	icht feststellba
Nonylphenol		GC-Analysis	not determinable	≤ 0,1 mg/kg
Phthalates		Screening	not determinable	0,05 / 0,1%

## **Examination of pigments ((for coloured items)**

simulant solution	evaluation



### regulation (EU) 2020/1245 heavy metals

simulant solution:	acetic acid 3%
conditioning:	30 minutes 40°C

evidence	concentration in mg/kg	limit in mg/kg food or food simulant
Aluminium		1
Antimony		0,04
Arsenic		0,01
Barium	< 0,1	1
Cadmium		0,002
Chromium		ND
Cobalt	< 0,01	0,05
Copper	< 0,1	5
Europium		0,05
Gadolinium		0,05
Iron	< 1,0	48
Lanthanum		0,05
Lead		0,01
Lithium	< 0,1	0,6
Manganese	< 0,1	0,6
Mercury		0,01
Nickel		0,02
Terbium		0,05
Zinc	< 1,0	5



Testreport-no: 0154112248b 001

TAOHG1902684501

issued by: TÜV Rheinland

SGS

When used as specified, the overall migration as well as the specific migration do not exceed the legal limits. The examination was conducted in accordance with Regulation (EC) No. 10/2011 (Annex V), including all current amendments and corrections.

The requirements for materials and raw materials of the Plastic Regulation (EC) No. 10/2011 is not applicable for elastomer-protective gloves.



#### regulation (EC) 2023/2006

The above article is manufactured in accordance with Good Manufacturing Practices (GMP), i.e. they are produced and controlled with the assurance of compliance with applicable regulations and quality standards.

# Ingredients with limited use in food "dual use substances"

not applicable

Name of the substance	RefNo. (CAS- EINECS-PM and/or E-No)	Limit value [mg/kg]

The traceability according to the regulation (EC) No. 1935/2004 is ensured by the batch number.