

AMPri Handelsgesellschaft mbH Benzstraße 16 21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

Technical	Data She	et			6.		
Article-No.: Description:	01200 WHITE BASIC-PLUS Nitrile examination glove white, non sterile, powder free			WHITE BASIC-PLUS			
THICKNESS* cuff 0,04 mm		ngertips ,06 mm					
PRODUCT DESCRIP material	TION Latex	☑ Nitrile	Uinyl	Vinyl-Nitrile-	Polyethy-lene	П ТРЕ	□ cotton
colour characteristics	white prepowdered	<ul><li>□ blue</li><li>☑ powderfree</li></ul>	black sterile	mixture mint non sterile	(PE) purple ambidex- trous	<ul> <li>mix</li> <li>fits hand- specific</li> </ul>	<ul> <li>bordeaux</li> <li>Aloe Vera inner coating</li> </ul>
surface	✓ textured	not textured	embossed				
SIZES width	<b>XS (5-6)</b> ≤ 80 mm	<b>S (6-7)</b> 80 ± 10 mm	<b>M (7-8)</b> 95 ± 10 mm	<b>L (8-9)</b> 110 ± 10 mm	<b>XL (9-10)</b> 115 ± 10 mm	XXL (10-11)	XXXL (11-12)
length REGULATORY AFFA	≥ 240 mm	≥ 240 mm	≥ 240 mm	≥ 240 mm	≥ 240 mm	-	-
PPE-Regulation (EU) 2016/425	Category I	Category II	Category III	no PPE-article			CE
MD-Regulation (EU) 2017/745 Food Contact (EG) 1935/2004	Class I	Class II a	Class III  fatty foods	sterile alcoholic foods	<ul> <li>☐ measuring function</li> <li>☑ dry foods</li> </ul>	<ul> <li>no medical device</li> <li>not approved for food-</li> </ul>	
STANDARDISATION	N	10003		10005		contact	
EN 388 Mechanical Risks	abrasion resistance	blade cut resistance Coupe-Test	tear resistance	puncture resistance	blade cut resistance TDM-Test	impact test	
Level	not applicable						
EN 374-1		che	emical		code	letter	
Chemical Risks	Sodium hydroxide			К		ISO 374-1/Type B	
	Hydrogen Peroxide			Р		1	
EN 374-4 Degradation	Formaldehyde 379	Formaldehyde 37% T					KPT
EN 374-5 microorganism tightness	The glove is tight against microorganisms (viral, bacteria and fungi). Test according to ISO 16604 - method B.				EN 150 374-5:2016		
EN ISO 21420 protective gloves	The glove meets the	ne requirements ac	cording to EN ISO 2	1420			
EN 455 medical gloves for single use	4					EN 455	
EN 455-1 freedom from holes	The glove has an AQL < 1.5 in regards to the water retention test (sampling inspection in acc. to ISO 2859-1, general Inspection Level I)						
EN 16350 electrostatic properties	not applicable						



AMPri Handelsgesellschaft mbH Benzstraße 16 21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de

e-mail: info@ampri.de

**Technical Data Sheet** 

## Article-No.: 01200

Description:

WHITE BASIC-PLUS Nitrile examination glove white, non sterile, powder free

LOGISTIC DATA SUBPACKING	
generell information	
material	carton
pieces per subpacking	200
GTIN subpacking size XS	4044941006208
GTIN subpacking size S	4044941005966
GTIN subpacking size M	4044941005973
GTIN subpacking size L	4044941005980
GTIN subpacking size XL	4044941005997
GTIN subpacking size XXL	-
GTIN subpacking size XXXL	-
PZN subpacking size XS	15434744
PZN subpacking size S	15434721
PZN subpacking size M	15434709
PZN subpacking size L	15434690
PZN subpacking size XL	15434738
PZN subpacking size XXL	-
PZN subpacking size XXXL	-
measures & size	
length	240 mm
width	128 mm
heigth	80 mm
weights	
size	gross weight*
xs	540 g
S	600 g
Μ	660 g
L	720 g
XL	780 g
XXL	-
XXXL	-

LOGISTIC DATA PALETTE			
general information			
kind of palett	euro-palette		
measures & size			
cartons per layer	6		
layers per palette	7		
heigth of the palette	190 cm		
weights			
size	gross weight*		
XS	273 kg		
S	298 kg		
Μ	323 kg		
L	348 kg		
XL	374 kg		
XXL	-		
XXXL	-		



generell information			
material	carton		
subpackings per outer packing	10		
GTIN outer packing size XS	4044941006215		
GTIN outer packing size S	4044941006000		
GTIN outer packing size M	4044941006017		
GTIN outer packing size L	4044941006024		
GTIN outer packing size XL	4044941006031		
GTIN outer packing size XXL	-		
GTIN outer packing size XXXL	-		
PZN outer packing size XS	-		
PZN outer packing size S	-		
PZN outer packing size M	-		
PZN outer packing size L	-		
PZN outer packing size XL	-		
PZN outer packing size XXL	-		
PZN outer packing size XXXL	-		
measures & size			
length	415 mm		
width	265 mm		
heigth	250 mm		
weights			
size	gross weight*		
XS	5.900 g		
S	6.500 g		
Μ	7.100 g		
L	7.700 g		
XL	8.300 g		
XXL	-		
XXXL	-		



AMPri Handelsgesellschaft mbH Benzstraße 16 21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

## **Technical Data Sheet**

Article-No.: 01200

Description:

WHITE BASIC-PLUS Nitrile examination glove white, non sterile, powder free



## WARNINGS AND SAFETY INFORMATION storage / expiry Store gloves in original packaging in a cool and dry place without additional weight, protect from direct sunlight. Do not store near ozone date sources (laser printers, copiers). The actual expiry time in use cannot be specified in general terms, as it depends on the general conditions of use. An individual risk assessment must be carried out in each case. The expiry date - valid for proper storage - is stated on the packaging. Always use protective gloves only for the intended use and in the correct size. A check/risk assessment must be carried out to ensure that use and control the gloves are suitable for the intended use, as the conditions at the workplace may deviate from those of the type test depending on temperature, abrasion and degradation. Breakthrough times and permeation levels are based on laboratory measurements and are determined using samples taken from the palm of the hand. The actual duration of protection of a glove with a specific substance can vary significantly due to the conditions of use (temperature, abrasion, stretching). In the case of aggressive chemicals, degradation (change in mechanical properties) can be an important factor to consider when selecting chemical-resistant gloves. This information does not reflect the actual duration of protection in the workplace and the distinction between mixtures and pure chemicals. The chemical resistance was determined under laboratory conditions only on the basis of samples from the palm and refers only to the chemicals tested. The situation may be different if the chemical is used in a mixture. The penetration resistance was evaluated under laboratory conditions and refers only to the tested specimen. The degradation results according to EN ISO 374-4 show the change in puncture resistance of the gloves after exposure to the tested chemical. Before use, the gloves must be checked for holes or damage. disposal Used gloves must be disposed of in accordance with the disposal regulations of the local waste disposal company. Unused gloves can be disposed of with household waste. disinfection Disinfection is not intended for these gloves and is the responsibility of the user. warnings/ Protective gloves are intended for single use only. allergy This product contains dithiocarbamates, which may cause allergic reactions information donning and doffing instructions

\*slight deviations possible due to standard tolerances

changes and errors excepted

rev-no.: 2025-01 date 16.06.2025