

AMPri Handelsgesellschaft mbH Benzstraße 16 21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

Technical	Data She	et					
Article-No.:	01177						
Description:	Nitrile exam	an Ocean nination glove sterile, powder	r free				
THICKNESS*	_						
cuff	palm fi	ngertips					
0,06 mm	0,08 mm 0	,10 mm					
PRODUCT DESCRIP	PTION						
material	Latex	✓ Nitrile	Vinyl	Vinyl-Nitrile- mixture	Polyethy-lene (PE)	TPE	Cotton
colour characteristics	white prepowdered	□ blue☑ powderfree	black sterile	☐ mint ✓ non sterile	 purple ambidex- 	 mix fits hand- 	 ocean-green Aloe Vera
surface	☑ textured	not textured	embossed		trous	specific	inner coating
			l	I	l		l
SIZES	XS (5-6)	S (6-7)	M (7-8)	L (8-9)	XL (9-10)	XXL (10-11)	XXXL (11-12)
width	≤ 80 mm	80 ± 10 mm	95 ± 10 mm	110 ± 10 mm	115 ± 10 mm	-	-
length	≥ 240 mm	≥ 240 mm	≥ 240 mm	≥ 240 mm	≥ 240 mm	-	-
REGULATORY AFF	AIRS						
PPE-Regulation (EU) 2016/425	Category I	Category II	Category III	no PPE-article			~
MD-Regulation	Class I	Class II a	Class III	□ sterile	measuring	no medical	CE
(EU) 2017/745					function	device	
Food Contact (EG) 1935/2004	✓ acidic foods	✓ aqueous foods	I fatty foods	 ✓ alcoholic foods 	I dry foods	 not approved for food- contact 	Rï
STANDARDISATIO	N						
EN 388 Mechanical Risks	abrasion resistance	blade cut resistance	tear resistance	puncture resistance	blade cut resistance	impact test	
Louel	not applicable	Coupe-Test			TDM-Test		
Level	not applicable						
EN 374-1 Chemical Risks	Sodium bydroxide		mical	code letter K		ISO 374-1/Type B	
Chemical Risks	Sodium hydroxide 40% K Hydrogen Peroxide 30% P						t
EN 374-4 Degradation	Formaldehyde 37%					Т	
EN 374-5	The glove is tight against microorganisms (viral, bacteria and fungi). Test according to ISO 16604 - method B.					KPT	
microorganism tightness							EN ISO 374-5:2016 VIRUS
EN ISO 21420 protective gloves	The glove meets t	he requirements ac	cording to EN ISO 2	1420			
EN 455 medical gloves for single use	The glove meets the requirements according to EN 455-1, EN 455-2, EN 455-3, EN 455-4. Force at break ≥ 3.6 N.						EN 455
EN 455-1 freedom from holes	The glove has an AQL < 1.5 in regards to the water retention test (sampling inspection in acc. to ISO 2859-1, general Inspection Level I)						AQL (1.5)
EN 16350 electrostatic	not applicable						
properties							



AMPri Handelsgesellschaft mbH Benzstraße 16 21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0

Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

Technical Data Sheet

Article-No.: 01177

Description:

STYLE Clean Ocean Nitrile examination glove green, non sterile, powder free

LOGISTIC DATA SUBPACKING	
generell information	
material	carton
pieces per subpacking	100
GTIN subpacking size XS	4044941726564
GTIN subpacking size S	4044941726588
GTIN subpacking size M	4044941726601
GTIN subpacking size L	4044941726625
GTIN subpacking size XL	4044941726649
GTIN subpacking size XXL	-
GTIN subpacking size XXXL	-
PZN subpacking size XS	18062177
PZN subpacking size S	18062160
PZN subpacking size M	18062154
PZN subpacking size L	18062148
PZN subpacking size XL	18062131
PZN subpacking size XXL	-
PZN subpacking size XXXL	-
measures & size	
length	215 mm
width	120 mm
heigth	60 mm
weights	
size	gross weight*
xs	380 g
S	410 g
Μ	430 g
L	460 g
XL	500 g
XXL	-
XXXL	-

LOGISTIC DATA PALETTE	
general information	
kind of palett	euro-palette
measures & size	
cartons per layer	10
layers per palette	8
heigth of the palette	199 cm
weights	
size	gross weight*
XS	369 kg
S	393 kg
Μ	409 kg
L	433 kg
XL	465 kg
XXL	-
XXXL	-



LOGISTIC DATA OUTER PACKING	
generell information	
material	carton
subpackings per outer packing	10
GTIN outer packing size XS	4044941726571
GTIN outer packing size S	4044941726595
GTIN outer packing size M	4044941726618
GTIN outer packing size L	4044941726632
GTIN outer packing size XL	4044941726656
GTIN outer packing size XXL	-
GTIN outer packing size XXXL	-
PZN outer packing size XS	-
PZN outer packing size S	-
PZN outer packing size M	-
PZN outer packing size L	-
PZN outer packing size XL	-
PZN outer packing size XXL	-
PZN outer packing size XXXL	-
measures & size	
length	315 mm
width	255 mm
heigth	230 mm
weights	
size	gross weight*
XS	4.300 g
S	4.600 g
Μ	4.800 g
L	5.100 g
XL	5.500 g
XXL	-
XXXL	-



AMPri Handelsgesellschaft mbH Benzstraße 16 21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

Technical Data Sheet


Article-No.: 01177

Description:

STYLE Clean Ocean Nitrile examination glove green, non sterile, powder free



storage / expiry	Store gloves in original packaging in a cool and dry place without additional weight, protect from direct sunlight. Do not store near ozone				
date	sources (laser printers, copiers). The actual expiry time in use cannot be specified in general terms, as it depends on the general conditions of use. An individual risk assessment must be carried out in each case. The expiry date - valid for proper storage - is stated on the packaging.				
use and control	Always use protective gloves only for the intended use and in the correct size. A check/risk assessment must be carried out to ensure that				
	the gloves are suitable for the intended use, as the conditions at the workplace may deviate from those of the type test depending on temperature, abrasion and degradation. Breakthrough times and permeation levels are based on laboratory measurements and are determined using samples taken from the palm of the hand. The actual duration of protection of a glove with a specific substance can vary significantly due to the conditions of use (temperature, abrasion, stretching). In the case of aggressive chemicals, degradation (change in mechanical properties) can be an important factor to consider when selecting chemical-resistant gloves. This information does not reflect the actual duration of protection in the workplace and the distinction between mixtures and pure chemicals. The chemical resistance was determined under laboratory conditions only on the basis of samples from the palm and refers only to the chemicals tested. The situation may be different if the chemical is used in a mixture. The penetration resistance was evaluated under laboratory conditions and refers onl to the tested specimen. The degradation results according to EN ISO 374-4 show the change in puncture resistance of the gloves after exposure to the tested chemical. Before use, the gloves must be checked for holes or damage.				
disposal	Used gloves must be disposed of after contact with chemicals in accordance with the disposal regulations for the chemical and the regulations of the local waste disposal company. Unused gloves can be disposed of with household waste.				
disinfection	Disinfection is not intended for these gloves and is the responsibility of the user.				
warnings/	Protective gloves are intended for single use only.				
allergy information	This product contains dithiocarbamates, which may cause allergic reactions				



rev-no.: 2025-01 date 11.06.2025 *slight deviations possible due to standard tolerances

changes and errors excepted