

Technical Data Sheet

Article-No.: **L-09193**

Brand:

Description: **drinking beaker top part**



DIMENSIONS		
height	Ø top	Ø bottom
20 mm	67 mm	63 mm

PRODUCT DESCRIPTION							
material	<input checked="" type="checkbox"/> Polypropylene (PP)	<input type="checkbox"/> Polyethylene (PE)					
colour	<input type="checkbox"/> anthracite [A]	<input checked="" type="checkbox"/> blue [B]	<input type="checkbox"/> cedro [C]	<input type="checkbox"/> ocean green [CO]	<input checked="" type="checkbox"/> green [GR]	<input type="checkbox"/> green opaque [GO]	<input type="checkbox"/> gray [GRAY]
	<input type="checkbox"/> purple [L]	<input type="checkbox"/> light blue [LB]	<input type="checkbox"/> lime [LIME]	<input type="checkbox"/> mixed [MIX]	<input type="checkbox"/> orange [O]	<input type="checkbox"/> pink [P]	<input checked="" type="checkbox"/> red [R]
	<input type="checkbox"/> rose [ROSE]	<input type="checkbox"/> black [SCH]	<input type="checkbox"/> transparent []	<input type="checkbox"/> violett [V]	<input type="checkbox"/> white [W]	<input type="checkbox"/> winered [WR]	<input checked="" type="checkbox"/> yellow [Y]
capacity	<input type="checkbox"/> 30 ml	<input type="checkbox"/> 100 ml	<input type="checkbox"/> 150 ml	<input type="checkbox"/> 180 ml	<input type="checkbox"/> 200 ml	<input type="checkbox"/> 250 ml	
characteristics	<input type="checkbox"/> graduation	<input checked="" type="checkbox"/> autoclavable up to 134°C	<input type="checkbox"/> Dishwasher-safe according to EN 12875-1 + 12875-2		<input checked="" type="checkbox"/> opening 4 x 4 mm	<input type="checkbox"/> sterile	
suitable for article	<input type="checkbox"/> 09175-Deckel	<input type="checkbox"/> L-09193	<input type="checkbox"/> L-09194	<input type="checkbox"/> L-09194	<input checked="" type="checkbox"/> L-09192		

REGULATORY AFFAIRS							
MD-Regulation (EU) 2017/745	<input type="checkbox"/> Class I	<input type="checkbox"/> Class II	<input type="checkbox"/> Class III	<input type="checkbox"/> sterile	<input type="checkbox"/> measuring function	<input checked="" type="checkbox"/> no medical device	
in-vitro diagnostic-Regulation (EU) 2017/746	<input type="checkbox"/> Class A	<input type="checkbox"/> Class A sterile	<input type="checkbox"/> Class B	<input type="checkbox"/> Class C	<input type="checkbox"/> Class D	<input checked="" type="checkbox"/> no IVD	
Food Contact (EG) 1935/2004	<input checked="" type="checkbox"/> acid foods	<input checked="" type="checkbox"/> aqueous foods	<input type="checkbox"/> fatty foods	<input type="checkbox"/> alcoholic foods	<input type="checkbox"/> dry foods	<input type="checkbox"/> not approved for food contact	

Technical Data Sheet

Article-No.: L-09193

Brand:

Description: drinking beaker top part



LOGISTIC DATA SUBPACKING		
general information		
material	bag	
pieces per subpacking	250	
GTIN subpacking anthracite [A]	-	
GTIN subpacking blue [B]	-	
GTIN subpacking cedro [C]	-	
GTIN subpacking ocean green [CO]	-	
GTIN subpacking green [GR]	-	
GTIN subpacking green opaque [GO]	-	
GTIN subpacking gray [GRAY]	-	
GTIN subpacking purple [L]	-	
GTIN subpacking light blue [LB]	-	
GTIN subpacking lime [LIME]	-	
GTIN subpacking mixed [MIX]	-	
GTIN subpacking orange [O]	-	
GTIN subpacking pink [P]	-	
GTIN subpacking red [R]	-	
GTIN subpacking rose [ROSE]	-	
GTIN subpacking black [SCH]	-	
GTIN subpacking transparent []	-	
GTIN subpacking violett [V]	-	
GTIN subpacking white [W]	-	
GTIN subpacking wine red [WR]	-	
GTIN subpacking yellow [Y]	-	
measures & size		
length	200 mm	
width	470 mm	
height	-	
weights		
size	net weight	brut weight
uni	3.550 g	3.555 g

LOGISTIC DATA PALETTE		
general information		
kind of palette	euro-palette	
measures & size		
cartons per layer	8	
layer per palette	5	
height of the palette	205 cm	
weights		
size	net weight	brut weight
uni	162 kg	187 kg

LOGISTIC DATA OUTER PACKING		
general information		
material	carton	
subpackingen per outer packing	1	
GTIN outer packing anthracite [A]	-	
GTIN outer packing blue [B]	4044941042459	
GTIN outer packing cedro [C]	-	
GTIN outer packing ocean green [CO]	-	
GTIN outer packing green [GR]	4044941042497	
GTIN outer packing green opaque [GO]	-	
GTIN outer packing gray [GRAY]	-	
GTIN outer packing purple [L]	-	
GTIN outer packing light blue [LB]	-	
GTIN outer packing lime [LIME]	-	
GTIN outer packing mixed [MIX]	-	
GTIN outer packing orange [O]	-	
GTIN outer packing pink [P]	-	
GTIN outer packing red [R]	4044941042411	
GTIN outer packing rose [ROSE]	-	
GTIN outer packing black [SCH]	-	
GTIN outer packing transparent []	4044941042374	
GTIN outer packing violett [V]	-	
GTIN outer packing white [W]	-	
GTIN outer packing wine red [WR]	-	
GTIN outer packing yellow [Y]	4044941042534	
measures & size		
length	380 mm	
width	280 mm	
height	380 mm	
weights		
size	net weight	brut weight
uni	3.555 g	4.055 g

Technical Data Sheet

Article-No.: **L-09193**
Brand:
Description: **drinking beaker top part**



WARNINGS AND SAFETY INFORMATION

storage / expiry date	Store product in original packaging in a cool and dry place without additional weight, protect from direct sunlight. Do not store near ozone sources (laser printers, copiers). An individual risk assessment must be carried out in each case.
use and control	<p>Cleaning: Clean thoroughly before first use and after each use to maintain hygiene standards.</p> <p>Only ever use the product for its intended use. A check/risk assessment must be carried out to ensure that the product is suitable for the intended use.</p> <p>Ensure that the size matches that of the user. Do not make any changes to the product.</p> <p>Make sure that the product has no defects and is in good condition (no holes, unstitched parts, etc.).</p> <p>This product is intended for single use only</p>
disposal	The used product must be disposed of in accordance with the disposal regulations of the local waste disposal company. Unused products can be disposed of with household waste.
warnings	<p>Choking hazard: Not suitable for persons with limited swallowing ability without supervision</p> <p>Beware of scalding: Only suitable for drinks that are at a safe drinking temperature. Test the temperature before use.</p>