

Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

Technical Data Sheet

4MPri


Article-No.: 01183

EN

Description: STYLE BLUEBERRY

Nitrile examination glove

dark-blue, non sterile, powder free





	PE cotton
colour □ white □ blue □ black □ mint □ purple □ mix characteristics □ prepowdered □ powderfree □ sterile □ non sterile □ ambidex- □ fits	L COLLOII
characteristics □ prepowdered ☑ powderfree □ sterile ☑ non sterile ☑ ambidex- □ fits	
	ix 🗹 dark-blue
l troug	s hand- 🔲 biodegra-
trous spe	ecific dable
surface ✓ textured □ not textured □ embossed	
SIZES	1 (40 44)
	L (10-11) XXXL (11-12) 5 ± 10 mm -
	240 mm -
	240 111111
REGULATORY AFFAIRS	
PPE-Regulation □ Category I □ Category II □ Category II □ no PPE-article	
(EU) 2016/425	
MD-Regulation ☐ Class II a ☐ Class III ☐ sterile ☐ measuring ☐ no	o medical C E
(EU) 2017/745 function dev	evice
Food Contact ☑ acidic foods ☑ aqueous ☑ fatty foods ☑ alcoholic ☑ dry foods ☐ not	ot approved
(EG) 1935/2004 foods foods	r food-
con	ontact
STANDARDISATION	•
	pact test
Risks resistance resistance resistance resistance	
Coupe-Test TDM-Test	
Level Coupe-Test TDM-Test Level not applicable	
Level not applicable Coupe-Test TDM-Test EN 374-1 chemical code letter	100 071 4 (7)
Coupe-Test TDM-Test	ISO 374-1/Type B
Coupe-Test TDM-Test	ISO 374-1/Type B
Level not applicable TDM-Test EN 374-1 chemical code letter Chemical Risks Sodium hydroxide 40% K Hydrogen Peroxide 30% P Formaldehyde 37% T	ISO 374-1/Type B
Coupe-Test TDM-Test	ISO 374-1/Type B
Level not applicable TDM-Test EN 374-1 chemical code letter Chemical Risks Sodium hydroxide 40% K Hydrogen Peroxide 30% P Formaldehyde 37% T	
Coupe-Test TDM-Test	KPT
Coupe-Test TDM-Test	KPT
Coupe-Test TDM-Test	KPT
Coupe-Test TDM-Test	KPT M 150 278-5-2016
Coupe-Test TDM-Test	KPT M 150 278-5-2016
Coupe-Test TDM-Test	KPT M 150 278-5-2016
Coupe-Test TDM-Test	KPT Dd B. EN 150 374 5-2016 VIRUS
Coupe-Test TDM-Test	KPT od B. EN 150 324-3-2016 VIRUS ≥ 3.6 N. EN
Level not applicable EN 374-1 Chemical Risks chemical Sodium hydroxide 40% Hydrogen Peroxide 30% K EN 374-4 Degradation P EN 374-5 microorganism tightness The glove is tight against microorganisms (viral, bacteria and fungi). Test according to ISO 16604 - method protective gloves EN ISO 21420 protective gloves The glove meets the requirements according to EN ISO 21420 EN 455 The glove meets the requirements according to EN 455-1, EN 455-2, EN 455-3, EN 455-4. Force at break ≥	KPT Dd B. EN 150 374 5-2016 VIRUS
Level not applicable EN 374-1 Chemical Risks Code letter EN 374-1 Degradation Sodium hydroxide 40% Hydrogen Peroxide 30% Formaldehyde 37% R EN 374-5 microorganism tightness The glove is tight against microorganisms (viral, bacteria and fungi). Test according to ISO 16604 - method regions are tightness EN ISO 21420 protective gloves The glove meets the requirements according to EN ISO 21420 EN 455 medical gloves for The glove meets the requirements according to EN 455-1, EN 455-2, EN 455-3, EN 455-4. Force at break ≥	KPT KPT ENISO 194-2-016 ENISO 194-2-016 EN 455
Level not applicable EN 374-1 Chemical Risks Chemical Chemical Chemical Chemical Chemical Chemical Risks Chemical Chemical Chemical Chemical Chemical Chemical Chemical Chemical Chemical Risks Chemical Chemical Chemical Chemical Chemical Chemical Chemical Chemical Chemical Risks Chemical	KPT KPT ENISO 2016-32016 EN 455 59-1, AQL
Coupe-Test TDM-Test	KPT KPT ENISO 194-2-016 ENISO 194-2-016 EN 455
Coupe-Test TDM-Test	KPT KPT ENISO 2016-32016 EN 455 59-1, AQL
Coupe-Test	KPT KPT ENISO 2016-32016 EN 455 59-1, AQL
Coupe-Test TDM-Test	KPT KPT ENISO 2016-32016 EN 455 59-1, AQL

QMFORM_60.003 1/3 issue date: 16.04.2025



21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0

Homepage: www.ampri.de e-mail: info@ampri.de


Technical Data Sheet

Article-No.: 01183

Description: STYLE BLUEBERRY

Nitrile examination glove

dark-blue, non sterile, powder free



LOGISTIC DATA PALETTE general information		
measures & size		
cartons per layer	10	
layers per palette	8	
heigth of the palette	199 cm	
weights		
size	gross weight*	
XS	369 kg	
S	393 kg	
М	409 kg	
L	433 kg	
XL	465 kg	
XXL	473 kg	
XXXL	-	



LOGISTIC DATA OUTER PACKING		
generell information		
material	carton	
subpackings per outer packing	10	
GTIN outer packing size XS	4044941009216	
GTIN outer packing size S	4044941009223	
GTIN outer packing size M	4044941009230	
GTIN outer packing size L	4044941009247	
GTIN outer packing size XL	4044941009254	
GTIN outer packing size XXL	4044941739953	
GTIN outer packing size XXXL	-	
PZN outer packing size XS	-	
PZN outer packing size S	-	
PZN outer packing size M	-	
PZN outer packing size L	-	
PZN outer packing size XL	-	
PZN outer packing size XXL	-	
PZN outer packing size XXXL	-	
measures & size		
length	315 mm	
width	255 mm	
heigth	230 mm	
weights		
size	gross weight*	
XS	4.300 g	
S	4.600 g	
М	4.800 g	
L	5.100 g	
XL	5.500 g	
XXL	5.600 g	
XXXL	-	



AMPri Handelsgesellschaft mbH

Benzstraße 16

21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0

Homepage: www.ampri.de e-mail: info@ampri.de

Technical Data Sheet

Article-No.: 01183

Description: STYLE BLUEBERRY

Nitrile examination glove

dark-blue, non sterile, powder free



WARNINGS AND SAFETY INFORMATION

storage / expiry date

Store gloves in original packaging in a cool and dry place without additional weight, protect from direct sunlight. Do not store near ozone sources (laser printers, copiers). The actual expiry time in use cannot be specified in general terms, as it depends on the general conditions of use. An individual risk assessment must be carried out in each case. The expiry date - valid for proper storage - is stated on the packaging.

use and control

Always use protective gloves only for the intended use and in the correct size. A check/risk assessment must be carried out to ensure that the gloves are suitable for the intended use, as the conditions at the workplace may deviate from those of the type test depending on temperature, abrasion and degradation. Breakthrough times and permeation levels are based on laboratory measurements and are determined using samples taken from the palm of the hand. The actual duration of protection of a glove with a specific substance can vary significantly due to the conditions of use (temperature, abrasion, stretching). In the case of aggressive chemicals, degradation (change in mechanical properties) can be an important factor to consider when selecting chemical-resistant gloves. This information does not reflect the actual duration of protection in the workplace and the distinction between mixtures and pure chemicals. The chemical resistance was determined under laboratory conditions only on the basis of samples from the palm and refers only to the chemicals tested. The situation may be different if the chemical is used in a mixture. The penetration resistance was evaluated under laboratory conditions and refers only to the tested specimen. The degradation results according to EN ISO 374-4 show the change in puncture resistance of the gloves after exposure to the tested chemical.

Before use, the gloves must be checked for holes or damage.

disposal

Used gloves must be disposed of in accordance with the disposal regulations of the local waste disposal company. Unused gloves can be disposed of with household waste.

disinfection

Disinfection is not intended for these gloves and is the responsibility of the user.

warnings/ allergy information

Protective gloves are intended for single use only.

This product contains dithiocarbamates, which may cause allergic reactions

donning and doffing instructions











*slight deviations possible due to standard tolerances

rev-no.: 2025-02 date 01.10.2025

changes and errors excepted

QMFORM_60.003 issue date: 16.04.2025