

AMPri Handelsgesellschaft mbH Benzstraße 16 21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de

Homepage: www.ampri.de e-mail: info@ampri.de

Technical	Data She	et				44	
Article-No.:	14-026						
Description:		EEN					
Description:	STYLE GREEN						
	Latex surgic	-					
	green, non s	sterile, powder	r free			And a state of the	
THICKNESS							
cuff	palm fii	ngertips					
0,11 mm	0,15 mm 0	,18 mm					
PRODUCT DESCRIP	TION						
material	☑ Latex	Nitrile	Vinyl	Vinyl-Nitrile-	Polyethy-lene	TPE	□ cotton
				mixture	(PE)		
colour	white	blue	black	mint	purple	🗆 mix	☑ green
characteristics	prepowdered	powderfree	sterile	non sterile	ambidex-	fits hand-	biodgra-
					trous	specific	dable
surface	✓ full textured	finger	not textured	embossed	chlorinated in:	side	
		textured					
			l		I		<u> </u>
SIZES							
	XS (5-6)	S (6-7)	M (7-8)	L (8-9)	XL (9-10)	XXL (10-11)	XXXL (11-12)
width	≤ 80 mm	80 ± 10 mm	95 ± 10 mm	110 ± 10 mm	115 ± 10 mm	-	-
length	≥ 240 mm	≥ 240 mm	≥ 240 mm	≥ 240 mm	≥ 240 mm	-	-
REGULATORY AFF	AIRS						
PPE-Regulation	Category I	Category II	Category III	no PPE-article			
(EU) 2016/425							<i>cc</i>
MD-Regulation	Class I	Class II a	Class III	□ sterile	measuring	no medical	CE
(EU) 2017/745					function	device	
Food Contact	acidic foods	☑ aqueous food	I⊡ fatty foods	☑ alcoholic	dry foods	not approved	ניר ד
(EG) 1935/2004				foods		for food-	R
						contact	
STANDARDISATIO	N						
EN 388 Mechanical	abrasion	blade cut	tear resistance	puncture	blade cut	impact test	
Risks	resistance	resistance		resistance	resistance	inipact test	
		Coupe-Test			TDM-Test		
Level	not applicable	•					
EN 374-1	chemical		code letter	level	permeation time	degradation	
Chemical Risks	Sodium hydroxide	40%	К	6	> 480 min	-19,2 %	ISO 374-1/Type B
	Hydrogen Peroxid	e 30%	Р	3	> 60 min	-14,0 %	
EN 374-4	Formaldehyde 37%	6	Т	2	> 30 min	-66,3 %	
Degradation							
							\sim
5N 974 5	-						КРТ
EN 374-5	The glove is tight a	against microorganis	sms (viral, bacteria a	and fungi). Test acco	ording to ISO 16604	- method B.	EN ISO 374-5:2016
microorganism tightness							VIRUS
							COLOR CONTRACTOR
EN ISO 21420	The glove meets the	he requirements acc	cording to EN ISO 21	1420			
protective gloves							
EN 455	The glove meets th	he requirements acc	ording to FN 455-1	. EN 455-2. FN 455-3	3. EN 455-4		
medical gloves for				,	.,		EN
single use							455
EN 455-1	The glove has an AQL < 1.5 in regards to the water retention test (sampling inspection in acc. to ISO 2859-1,					AQL	
freedom from holes	general Inspection	-		, r ··O		,	(1.5)
		•					
ISO 18889	not applicable						
Pesticide application	The second se						



AMPri Handelsgesellschaft mbH Benzstraße 16

21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

Technical Data Sheet

Article-No.: 14-026

Description:

STYLE GREEN Latex surgical gloves

green, non sterile, powder free

LOGISTIC DATA SUBPACKING					
generell information					
material	carton				
pieces per subpack	ing	100			
GTIN subpacking si	ze XS	4044941703091			
GTIN subpacking si	ze S	4044941703114			
GTIN subpacking si	4044941703121				
GTIN subpacking si	4044941703145				
GTIN subpacking si	4044941722467				
GTIN subpacking si	ze XXL	-			
GTIN subpacking si	ze XXXL	-			
PZN subpacking siz	15566463				
PZN subpacking siz	15566440				
PZN subpacking siz	15566434				
PZN subpacking siz	15566428				
PZN subpacking siz	16852493				
PZN subpacking siz	-				
PZN subpacking siz	-				
measures & size					
length	240 mm				
width	125 mm				
heigth	75 mm				
weights					
size	net weight	gross weight			
XS	540 g	600 g			
S	580 g	640 g			
М	620 g	680 g			
L	660 g	720 g			
XL	720 g	780 g			
XXL	-	-			
XXXL -		-			

LOGISTIC DATA PALETTE					
general information					
kind of palett		euro-palette			
measures & size					
cartons per layer	9				
layers per palette	7				
heigth of the palet	te	190 cm			
weights					
size	net weight	gross weight			
XS	410 kg	435 kg			
S	435 kg	460 kg			
М	460 kg	485 kg			
L	485 kg	510 kg			
XL 523 kg		548 kg			
XXL	-	-			
XXXL -		-			



LOGISTIC DATA	OUTER PACKING		
generell informatio	n		
material		carton	
subpackings per out	ter packing	10	
GTIN outer packing	size XS	4044941703022	
GTIN outer packing	size S	4044941703039	
GTIN outer packing	size M	4044941703046	
GTIN outer packing	size L	4044941703060	
GTIN outer packing	size XL	4044941722474	
GTIN outer packing	-		
GTIN outer packing	-		
PZN outer packing s	-		
PZN outer packing s	-		
PZN outer packing s	-		
PZN outer packing s	-		
PZN outer packing s	-		
PZN outer packing s	-		
PZN outer packing s	-		
measures & size			
length	390 mm		
width	260 mm		
heigth	250 mm		
weights			
size	net weight	gross weight	
XS	6.000 g	6.500 g	
S	6.400 g	6.900 g	
М	6.800 g	7.300 g	
L	7.200 g	7.700 g	
XL	7.800 g	8.300 g	
XXL	-	-	
XXXL -		-	



AMPri Handelsgesellschaft mbH Benzstraße 16 21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0

Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

Technical Data Sheet

Article-No.: 14-026

Description:

STYLE GREEN Latex surgical gloves green, non sterile, powder free



WARNINGS AND SAFETY INFORMATION storage / expiry Store gloves in original packaging in a cool and dry place without additional weight, protect from direct sunlight. Do not store near ozone date sources (laser printers, copiers). The actual expiry time in use cannot be specified in general terms, as it depends on the general conditions of use. An individual risk assessment must be carried out in each case. The expiry date - valid for proper storage - is stated on the packaging. Always use protective gloves only for the intended use and in the correct size. A check/risk assessment must be carried out to ensure that use and control the gloves are suitable for the intended use, as the conditions at the workplace may deviate from those of the type test depending on temperature, abrasion and degradation. Breakthrough times and permeation levels are based on laboratory measurements and are determined using samples taken from the palm of the hand. The actual duration of protection of a glove with a specific substance can vary significantly due to the conditions of use (temperature, abrasion, stretching). In the case of aggressive chemicals, degradation (change in mechanical properties) can be an important factor to consider when selecting chemical-resistant gloves. This information does not reflect the actual duration of protection in the workplace and the distinction between mixtures and pure chemicals. The chemical resistance was determined under laboratory conditions only on the basis of samples from the palm and refers only to the chemicals tested. The situation may be different if the chemical is used in a mixture. The penetration resistance was evaluated under laboratory conditions and refers only to the tested specimen. The degradation results according to EN ISO 374-4 show the change in puncture resistance of the gloves after exposure to the tested chemical. Before use, the gloves must be checked for holes or damage. disposal Used gloves must be disposed of after contact with chemicals in accordance with the disposal regulations for the chemical and the regulations of the local waste disposal company. Unused gloves can be disposed of with household waste. disinfection Disinfection is not intended for these gloves and is the responsibility of the user. warnings/ Protective gloves are intended for single use only. This product contains dithiocarbamates and natural latex, which can trigger allergic reactions, including anaphylactic reactions allergy information donning and doffing instructions